



Home > GARAGE > Slagdopsleutels > MA611M

MA611M

Slagmoerdopsleutel metrisch 6-kantig 3/4"



- + 6-kantig
- + Metrisch
- + Molybdeenchrom
- + Fosfaatafwerking

MA611M 3/4"

M7 NO.	D1	D2	L	l	g
MA611M19	30	38	11.5	52	240
MA611M20	30	38	11.5	52	240
MA611M21	32	40	11.9	52	250
MA611M22	34	38	11.5	52	250
MA611M23	34	38	11.5	52	250
MA611M24	34	38	11.5	52	250
MA611M25	34	38	11.5	52	250
MA611M26	34	38	11.5	52	250
MA611M27	34	38	11.5	52	250
MA611M28	34	38	11.5	52	250
MA611M29	34	38	11.5	52	250
MA611M30	34	38	11.5	52	250
MA611M31	34	38	11.5	52	250
MA611M32	34	38	11.5	52	250
MA611M33	34	38	11.5	52	250
MA611M34	34	38	11.5	52	250
MA611M35	34	38	11.5	52	250
MA611M36	34	38	11.5	52	250
MA611M37	34	38	11.5	52	250
MA611M38	34	38	11.5	52	250
MA611M39	34	38	11.5	52	250
MA611M40	34	38	11.5	52	250
MA611M41	34	38	11.5	52	250
MA611M42	34	38	11.5	52	250

MA611M19
Afmeting (mm) : 19
D1 (mm) : 30
D2 (mm) : 38
L (mm) : 52
l (mm) : 11.1
Gewicht (g) : 230
MA611M22
Afmeting (mm) : 22
D1 (mm) : 34
D2 (mm) : 38
L (mm) : 52
l (mm) : 12.5
Gewicht (g) : 250
MA611M24



Afmeting (mm) : 24

D1 (mm) : 36

D2 (mm) : 38

L (mm) : 52

l (mm) : 14

Gewicht (g) : 250

MA611M27

Afmeting (mm) : 27

D1 (mm) : 40

D2 (mm) : 40

L (mm) : 52

l (mm) : 15.8

Gewicht (g) : 280

MA611M30

Afmeting (mm) : 30

D1 (mm) : 46

D2 (mm) : 44

L (mm) : 52

l (mm) : 16.7

Gewicht (g) : 370

MA611M32

Afmeting (mm) : 32

D1 (mm) : 48

D2 (mm) : 44

L (mm) : 52

l (mm) : 18.3

Gewicht (g) : 380

MA611M36

Afmeting (mm) : 36

D1 (mm) : 53.5

D2 (mm) : 44

L (mm) : 56

l (mm) : 21.5

Gewicht (g) : 470

MA611M38

Afmeting (mm) : 38

D1 (mm) : 56

D2 (mm) : 44

L (mm) : 56



I (mm) : 22.3

Gewicht (g) : 470

MA611M40

Afmeting (mm) : 40

D1 (mm) : 58

D2 (mm) : 44

L (mm) : 58

I (mm) : 22.8

Gewicht (g) : 540

MA611M42

Afmeting (mm) : 42

D1 (mm) : 61

D2 (mm) : 44

L (mm) : 58

I (mm) : 23

Gewicht (g) : 660